ELSEVIER

Brain Research 662 (1994) 297–298

BRAIN RESEARCH

Author Index

Agnati, L.F., see Bjelke, B. (662) 11
Akaike, N., see Furukawa, K. (662) 259
Aldred, A.R., see Blay, P. (662) 148
Andbjer, B., see Bjelke, B. (662) 11
Arimura, A., see Tatsuno, I. (662) 1

Baldessarini, R.J., see Booth, R.G. (662) 283
Bär, P.R., see Hol, E.M. (662) 109
Bjelke, B., Strömberg, I., O'Connor, W.T., Andbjer, B., Agnati, L.F. and Fuxe, K.
Evidence for volume transmission in the dopamine denervated neostriatum of the rat after a unilateral nigral 6-OHDA microinjection. Studies with systemic D-amphetamine treatment (662) 11
Blay, P., Nilsson, C., Hansson, S., Owman, C., Aldred, A.R. and Schreiber, G.
An in vivo study of the effect of 5-HT and sympathetic nerves on transferrin and transthyretin mRNA expression in rat choroid plexus and meninges (662) 148
Bolser, D.C. and DeGennaro, F.C.
Effect of codeine on the inspiratory and expiratory burst pattern during fictive cough in cats (662) 25
Booth, R.G., Baldessarini, R.J., Marsh, E. and Owens, C.E.
Actions of (±)-7-hydroxy-*N,N*-dipropylaminotetralin (7-OH-DPAT) on dopamine synthesis in limbic and extrapyramidal regions of rat brain (662) 283

Cantino, D., see Panzanelli, P. (662) 293
Chan, P.H., see Kamii, H. (662) 240
Chase, T.N., see Papa, S.M. (662) 69
Chikahisa, L., see Furukawa, K. (662) 259
Chitravanshi, V.C., Kachroo, A. and Sapru, H.N.
A midline area in the nucleus commissuralis of NTS mediates the phrenic nerve responses to carotid chemoreceptor stimulation (662) 127
Cintra, L., see Díaz-Cintra, S. (662) 117
Corkidi, G., see Díaz-Cintra, S. (662) 117
Crandall, J.E., see Yamamoto, M. (662) 223
Currie, S.N., Wang, X.F. and Daw, N.W.
NMDA receptors in layers II and III of rat cerebral cortex (662) 103

Daw, N.W., see Currie, S.N. (662) 103
DeGennaro, F.C., see Bolser, D.C. (662) 25
Díaz-Cintra, S., García-Ruiz, M., Corkidi, G. and Cintra, L.
Effects of prenatal malnutrition and postnatal nutritional rehabilitation on CA3 hippocampal pyramidal cells in rats of four ages (662) 117
Dickenson, A.H., see Sullivan, A.F. (662) 141
Drzewiecki, G.J., see Zhang, Z. (662) 189
Dube, M.G., see Kalra, P.S. (662) 178
Duchamp, A., see Rospars, J.-P. (662) 31
Duchamp-Viret, P., see Rospars, J.-P. (662) 31

Eaton, R.C., see Vathy, I. (662) 209
Elliott, A.S. and Nunez, A.A.
An ultrastructural study of somal appositions in the suprachiasmatic nucleus and anterior hypothalamus of the rat (662) 278
Engber, T.M., see Papa, S.M. (662) 69
Epstein, C.J., see Kamii, H. (662) 240

Fasolo, A., see Panzanelli, P. (662) 293
Fénelon, V.S., Theodosis, D.T. and Poulain, D.A.
Fos synthesis in identified magnocellular neurons varies with phenotype, stimulus, location in the hypothalamus and reproductive state (662) 165
Fernandez-Vera, J.R., see Fumero, B. (662) 233
Flanagan-Cato, L.M., see Reagan, L.P. (662) 45
Fluharty, S.J., see Reagan, L.P. (662) 45
Franklin, K.B.J., see Olmstead, M.C. (662) 134
Freudenrich, T., see Kodavanti, P.R.S. (662) 75
Fujimoto, S., see Shimohama, S. (662) 185
Fumero, B., Fernandez-Vera, J.R., Gonzalez-Mora, J.L. and Mas, M.
Changes in monoamine turnover in forebrain areas associated with masculine sexual behavior: a microdialysis study (662) 233
Furukawa, K., Oyama, Y., Chikahisa, L., Hatakeyama, Y. and Akaike, N.
Flow cytometric analysis on cytotoxic action of amyloid β protein fragment 25–35 on brain neurons dissociated from the rats (662) 259
Fuxe, K., see Bjelke, B. (662) 11

García-Ruiz, M., see Díaz-Cintra, S. (662) 117
Gerstberger, R., see Jurzak, M. (662) 198
Gispen, W.H., see Hol, E.M. (662) 109
Gonzalez-Mora, J.L., see Fumero, B. (662) 233
Gotow, T., Nishi, T. and Kijima, H.
Single K^+ channels closed by light and opened by cyclic GMP in molluscan extra-ocular photoreceptor cells (662) 268
Greer, M.A., see Wang, X. (662) 83
Greer, S.E., see Wang, X. (662) 83

Hansson, S., see Blay, P. (662) 148
Harry, G.J., see Kodavanti, P.R.S. (662) 75
Hatakeyama, Y., see Furukawa, K. (662) 259
Heward, S.L., see Sims, N.R. (662) 216
Hewett, K., see Sullivan, A.F. (662) 141
Hinshaw, D.B., see Zhang, Z. (662) 189
Hol, E.M., Verhage, M., Gispen, W.H. and Bär, P.R.
The role of calcium and cAMP in the mechanism of action of two melanocortins: αMSH and the $ACTH_{4-9}$ analogue Org 2766 (662) 109
Huntley, G.W., see Shashidharan, P. (662) 245
Hyslop, P.A., see Zhang, Z. (662) 189

Inukai, T., see Wang, X. (662) 83
Ishida, A., Shimazaki, K., Terashima, T. and Kawai, N.
An electrophysiological and immunohistochemical study of the hippocampus of the reeler mutant mouse (662) 60

Jurzak, M., Müller, A.R., Schmid, H.A. and Gerstberger, R.
Primary culture of circumventricular organs from the rat brain lamina terminalis (662) 198

Kachroo, A., see Chitravanshi, V.C. (662) 127
Kalra, P.S., Dube, M.G. and Kalra, S.P.
The effects of interleukin 1β on the hypothalamic tachykinin, neurokinin A (662) 178
Kalra, S.P., see Kalra, P.S. (662) 178

Kamii, H., Kinouchi, H., Sharp, F.R., Epstein, C.J., Sagar, S.M. and Chan, P.H.
Expression of c-fos mRNA after a mild focal cerebral ischemia in SOD-1 transgenic mice (662) 240
Kask, A.M., see Papa, S.M. (662) 69
Kataoka, K., see Tsuji, K. (662) 289
Katay, L., see Vathy, I. (662) 209
Kawai, N., see Ishida, A. (662) 60
Kijima, H., see Gotow, T. (662) 268
Kimura, J., see Shimohama, S. (662) 185
Kinouchi, H., see Kamii, H. (662) 240
Kodavanti, P.R.S., Shafer, T.J., Ward, T.R., Mundy, W.R., Freudenrich, T., Harry, G.J. and Tilson, H.A.
Differential effects of polychlorinated biphenyl congeners on phosphoinositide hydrolysis and protein kinase C translocation in rat cerebellar granule cells (662) 75

Lacombe, P., see Sercombe, R. (662) 155
Lánský, P., see Rospars, J.-P. (662) 31

Ma, L.-Y., see Reagan, L.P. (662) 45
MacKenzie, E.T., see Sercombe, R. (662) 155
Marsh, E., see Booth, R.G. (662) 283
Mas, M., see Fumero, B. (662) 233
Meyer, T., see Shashidharan, P. (662) 245
Mizoguchi, K., Yokoo, H., Yoshida, M., Tanaka, T. and Tanaka, M.
Amantadine increases the extracellular dopamine levels in the striatum by re-uptake inhibition and by *N*-methyl-D-aspartate antagonism (662) 255
Morrison, J.H., see Shashidharan, P. (662) 245
Müller, A.R., see Jurzak, M. (662) 198
Mundy, W.R., see Kodavanti, P.R.S. (662) 75
Myers, R.R., see Podhajsky, R.J. (662) 88
Myhrer, T.
Evidence for activation of NMDA receptors when memory function is reinstated in rats with glutamatergic temporal systems disrupted (662) 263

Nakamura, Y., see Tsuji, K. (662) 289
Nilsson, C., see Blay, P. (662) 148
Nishi, T., see Gotow, T. (662) 268
Nunez, A.A., see Elliott, A.S. (662) 278

O'Connor, W.T., see Bjelke, B. (662) 11
Ogata, T., see Tsuji, K. (662) 289
Olmstead, M.C. and Franklin, K.B.J.
Lesions of the pedunculopontine tegmental nucleus abolish catalepsy and locomotor depression induced by morphine (662) 134
Owens, C.E., see Booth, R.G. (662) 283
Owman, C., see Blay, P. (662) 148
Oyama, Y., see Furukawa, K. (662) 259

Panzanelli, P., Valli, P., Cantino, D. and Fasolo, A.
Glutamate and carnosine in the vestibular system of the frog (662) 293
Papa, S.M., Engber, T.M., Kask, A.M. and Chase, T.N.
Motor fluctuations in levodopa treated parkinsonian rats: relation to lesion extent and treatment duration (662) 69
Plaitakis, A., see Shashidharan, P. (662) 245
Podhajsky, R.J. and Myers, R.R.
The vascular response to nerve transection: neovascularization in the silicone nerve regeneration chamber (662) 88
Poulain, D.A., see Fénelon, V.S. (662) 165

Reagan, L.P., Flanagan-Cato, L.M., Yee, D.K., Ma, L.-Y., Sakai, R.R. and Fluharty, S.J.
Immunohistochemical mapping of angiotensin type 2 (AT_2) receptors in rat brain (662) 45
Riekkinen, M., see Riekkinen Jr., P. (662) 95
Riekkinen Jr., P., Sirviö, J. and Riekkinen, M.
Serotonin depletion decreases the therapeutic effect of nicotine, but not THA, in medial septal-lesioned rats (662) 95
Rimanoczy, A., see Vathy, I. (662) 209
Rospars, J.-P., Lánský, P., Vaillant, J., Duchamp-Viret, P. and Duchamp, A.
Spontaneous activity of first- and second-order neurons in the frog olfactory system (662) 31

Sagar, S.M., see Kamii, H. (662) 240
Sakai, R.R., see Reagan, L.P. (662) 45
Sapru, H.N., see Chitravanshi, V.C. (662) 127
Sato, M.
Response of cytosolic Ca^{2+} to hypercapnic acidosis in cultured glomus cells of the adult rabbit carotid body (662) 251
Schmid, H.A., see Jurzak, M. (662) 198
Schreiber, G., see Blay, P. (662) 148
Schwarting, G.A., see Yamamoto, M. (662) 223
Sercombe, R., Lacombe, P., Springhetti, V., MacKenzie, E.T. and Seylaz, J.
Basal forebrain control of cortical blood flow and tissue gases in conscious aged rats (662) 155
Seylaz, J., see Sercombe, R. (662) 155
Shafer, T.J., see Kodavanti, P.R.S. (662) 75
Sharp, F.R., see Kamii, H. (662) 240
Shashidharan, P., Huntley, G.W., Meyer, T., Morrison, J.H. and Plaitakis, A.
Neuron-specific human glutamate transporter: molecular cloning, characterization and expression in human brain (662) 245
Shibata, T., see Tsuji, K. (662) 289
Shimazaki, K., see Ishida, A. (662) 60
Shimohama, S., Fujimoto, S., Taniguchi, T. and Kimura, J.
The endogenous substrate of low molecular weight acid phosphatase in the brain is an epidermal growth factor receptor (662) 185
Sims, N.R. and Heward, S.L.
Delayed treatment with 1,3-butanediol reduces loss of CA1 neurons in the hippocampus of rats following brief forebrain ischemia (662) 216
Sirviö, J., see Riekkinen Jr., P. (662) 95
Springhetti, V., see Sercombe, R. (662) 155
Strömberg, I., see Bjelke, B. (662) 11
Sullivan, A.F., Hewett, K. and Dickenson, A.H.
Differential modulation of α_2-adrenergic and opioid spinal antinociception by cholecystokinin and cholecystokinin antagonists in the rat dorsal horn: an electrophysiological study (662) 141

Tanaka, M., see Mizoguchi, K. (662) 255
Tanaka, T., see Mizoguchi, K. (662) 255
Taniguchi, T., see Shimohama, S. (662) 185
Tatsuno, I. and Arimura, A.
Pituitary adenylate cyclase-activating polypeptide (PACAP) mobilizes intracellular free calcium in cultured rat type-2, but not type-1, astrocytes (662) 1
Terashima, T., see Ishida, A. (662) 60
Theodosis, D.T., see Fénelon, V.S. (662) 165
Tilson, H.A., see Kodavanti, P.R.S. (662) 75
Tsuji, K., Nakamura, Y., Ogata, T., Shibata, T. and Kataoka, K.
Rapid decrease in ATP content without recovery phase during glutamate-induced cell death in cultured spinal neurons (662) 289
Turner, D.C., see Zhang, Z. (662) 189

Vaillant, J., see Rospars, J.-P. (662) 31
Valli, P., see Panzanelli, P. (662) 293
Vathy, I., Rimanoczy, A., Eaton, R.C. and Katay, L.
Modulation of catecholamine turnover rate in brain regions of rats exposed prenatally to morphine (662) 209
Verhage, M., see Hol, E.M. (662) 109

Wang, X., Inukai, T., Greer, M.A. and Greer, S.E.
Evidence that Ca^{2+}-activated K^+ channels participate in the regulation of pituitary prolactin secretion (662) 83
Wang, X.F., see Currie, S.N. (662) 103
Ward, T.R., see Kodavanti, P.R.S. (662) 75
Wolfe, M.S. and Zatz, M.
Synthesis of heat shock proteins in cultured chick pineal cells (662) 273

Yamamoto, M., Schwarting, G.A. and Crandall, J.E.
Altered 9-*O* acetylation of disialogangliosides in cerebellar Purkinje cells of the *nervous* mutant mouse (662) 223
Yee, D.K., see Reagan, L.P. (662) 45
Yokoo, H., see Mizoguchi, K. (662) 255
Yoshida, M., see Mizoguchi, K. (662) 255

Zatz, M., see Wolfe, M.S. (662) 273
Zhang, Z., Turner, D.C., Drzewiecki, G.J., Hinshaw, D.B. and Hyslop, P.A.
Impairment of integrin-mediated cell-matrix adhesion in oxidant-stressed PC12 cells (662) 189